

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	L1	1	"4339371".pn.	USPAT	2006/01/09 09:04	
2	BRS	L2	12	"4399371"	US- PGPUB ; USPAT ; USOCR ; EPO; JPO; DERWE NT; IBM_T DB	2006/01/09 09:23	
3	BRS	L3	651	(439/652 or 439/653)	US- PGPUB ; USPAT ; USOCR ; EPO; JPO; DERWE NT; IBM_T DB	2006/01/09 09:24	
4	BRS	L4	55	(439/652 or 439/653) and (lamp or light adj fixture or light adj source)	US- PGPUB ; USPAT ; USOCR ; EPO; JPO; DERWE NT; IBM_T DB	2006/01/09 09:42	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
5	BRS	L5	294	(307/157 or 307/147) and (lamp or light adj fixture or light adj source)	US- PGPUB ; USPAT ; USOCR ; EPO; JPO; DERWE NT; IBM_T DB	2006/01/0 9 09:49	
6	BRS	L6	2	(307/157 or 307/147) and (lamp or light adj fixture or light adj source) and howell	US- PGPUB ; USPAT ; USOCR ; EPO; JPO; DERWE NT; IBM_T DB	2006/01/0 9 09:50	
7	BRS	L7	193	("307"/\$.ccls. or "439"/\$.ccls. or "362"/\$.ccls. or "174"/\$.ccls.) and (lamp or light adj fixture or light adj source) and howell	US- PGPUB ; USPAT ; USOCR ; EPO; JPO; DERWE NT; IBM_T DB	2006/01/0 9 09:57	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
8	BRS	L8	541	("307"/\$.ccls. or "439"/\$.ccls. or "362"/\$.ccls. or "174"/\$.ccls.) and (lamp or light adj fixture or light adj source) and (plugg\$5 or prong\$3 or male) and (female or socket or receptacle) and (cord or line or wire)	US- PGPUB	2006/01/0 9 09:59	